

## **CLAW CUT:**

where fiber and coating unite to redefine performance

#### FIBER:

- # High-tech fiber based on HPPE
- **## Soft, thin, strong**





### « SANDY » COATING:

- **# Flexible**
- # Breathable
- # Exceptional
  grip













Certified by Ecocert Greenlife 267872

#### Sanitized:

Prevention of bacteria development and odors

#### Gauge 18 or 21:

Second skin feel for exceptional dexterity



These thin gloves are like a 2nd skin, not a cut to be deplored.

Jérôme CHAMBALAS

Repair locksmith, Chamblas



Excellent grip in varied environments (dry/wet/oily)

#### Cut D, F or A9\*:

Excellent cut protection

#### Long crotch:

Improved grip and tear prevention for maximum durability\*\*

#### **HOT 1:**

Contact heat protection hot parts 100°C / 15 sec

#### RCS:

11-20% of RCS recycled polyester

- \* ANSI standard
- \*\* Except for 1CLD700 and 1CLF707





#### OILY **ENVIRONNEMENT**

- **# NITRILE COATING**
- **# DOUBLE LAYER**
- **# SANDY FINISH**



PERF

























1CLD500

**CLAW CUT D 500** 



1CLF500

**CLAW CUT F 500** 



1CLF505

**CLAW CUT F 505** 



#### WET **ENVIRONNEMENT**

- **# LATEX COATING**
- **# DOUBLE LAYER**
- **# SANDY FINISH**



































Certified by Ecocert Greenlife 267872 16% RCS recycled polyester

1CLF707

**CLAW CUT F 707** 



#### **DRY ENVIRONNEMENT**

- **# NITRILE COATING**
- **# SINGLE LAYER**
- **# SANDY FINISH**



1CLD700



**CLAW CUT D 700** 



Certified by Ecocert Greenlife 267872 11% RCS recycled polyester











1CLD400

**CLAW CUT D 400** 





















1CL9400

**CLAW CUT A9 400** 









## **CLAW**

# Coverguard's signature of excellence

A complete range of products from head to toe



Enabling everyone to realise their full potential in complete safety, because every skill matters.









PAE de la Dombes 120 rue Michel Girer 01390 Mionnay – France

contact@coverguard-safety.com

T +33 (0)4 72 26 23 23

Discover Claw Cut video





coverguard-safety.com