

TECHNICAL DATASHEET

MO23200

Ref. MO23200

Non Reusable







FFP2 NR D



The +

Electrostatic filter media
Sliding elastic band: better
adjustment
Latex free to prevent the risk of
irritation
Seal outside contours

PURCHASE PACKAGING

Ref. Size Inner Carton 23200 - 12

SALES PACKAGING

>1

Multiple

DESCRIPTION

Foldable half-mask in non-woven polypropylene, latex free synthetic rubber, adjustable nose clip

SECTORS

Heavy & process industries

Chemical & pharmaceutical industries

Light Industries

Infrastructure, building industry

Construction - finishing work

DIY

APPLICATIONS

For occasional use in a very dusty environment. Protections against non-toxic solid and liquid aerosols, such as calcium carbonate, kaolin, cement, cellulose, sulfur, cotton, flour, coal, ferrous metals, vegetable oils and tender woods.

Textile industry, craft industry, metallurgical industry, mining industry, underground civil engineering, woodwork (strong woods excepted).

TECHNICAL FEATURES

Shape Flat foldable mask Main risk Respiratory protection from aerosols and

Weight 12g low toxic dust

SpecificationsFFP2 NR DColorWhiteHarnessSynthetic elastic rubber (latex free)FeaturesFFP2

features Polypropylene

STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 697918

Delivered by BSI Group The Netherlands B.V (2797) Say Building- John M. Keynesplein 9-1066 EP Amsterdam Netherlands

EPI CAT. III

EN149:2001 + A1:2009 Particle filtering half masks

FFP2 NR D