# coverguard®

## **TECHNICAL DATASHEET**

# MO23305

Ref. MO23305

#### Non Reusable







#### FFP3 NR D





# The +

Electrostatic filter media
Sliding elastic band: better
adjustment
Latex free to prevent the risk of

allergies

Seal outside contours to reduce the risk of irritation

#### **PURCHASE PACKAGING**

Ref. Size Inner Carton 23305 - 12

#### SALES PACKAGING

>1

Multiple

#### **DESCRIPTION**

FFP3 disposable foldable half-mask made of non-woven polypropylene, latex free synthetic rubber, adjustable nose pad

#### **SECTORS**

#### Mining

Heavy & process industries

Chemical & pharmaceutical industries

**Light Industries** 

Regional/public authorities

Infrastructure, building industry

Construction - finishing work

#### **APPLICATIONS**

For occasional use in a very dusty environment. Protections against non-toxic solid and liquid aerosols, such as calcium carbonate, kaolin, cement, cellulose, sulfur, cotton, flour, coal, ferrous metals, vegetable oils and tender woods.

Textile industry, craft industry, metallurgical industry, mining industry, underground civil engineering, woodwork (strong woods excepted).

#### **TECHNICAL FEATURES**

Shape Flat foldable mask Main risk Respiratory protection from toxic aerosols

Weight 19g and dusts

Specifications FFP3 NR D Color White

Harness Synthetic elastic rubber (latex free) Features Foldable half-mask in non-woven polypropylen SMS with valve

Adjustable nose clip

Latex free synthetic rubber

### STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 697918

Delivered by BSI Group The Netherlands B.V (2797) Say Building- John M. Keynesplein 9-1066 EP Amsterdam Netherlands

**E**PI CAT. III

EN149:2001 + A1:2009 Particle filtering half masks

FFP3 NR D