coverguard®

TECHNICAL DATASHEET

EUROSTRONG VIBE

Ref.

1VIBL00

General & Heavy Duty Works









Synthetic





The +

Anti-vibration: Reduction of MSDS
musculoskeletal disorders
Impact protection - TPR reinforcements on
back of the hand and fingers
Good grip in dry and wet areas

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1VIBL00008	8	6	30
1VIBL00009	9	6	30
1VIBL00010	10	6	30
1VIBL00011	11	6	30

SALES PACKAGING



Individual polybag

DESCRIPTION

EUROSTRONG VIBE gloves, black seamless knitted made from polyester, 7 gauge,

4-ply latex palm coating,

TPR reinforcements on back of hand and fingers,

Knitted wrist,

Antivibration level: T[M] 0,738 - T[H] 0,577

SECTORS

Mining

Extracting Oil and Gas

Energy (production and distribution)

Regional/public authorities

Construction - finishing work

APPLICATIONS

Specially developed for the use of vibrating tools, jackhammers, drills, grinders, chisels, etc.

Heavy handling in wet and/or dry area, mining industry, oil and gas industry, heavy construction work, logistics.

TECHNICAL FEATURES

Gauge 7

Color Black Color 2 Black Color 3 Yellow Shape Glove

Gloves environment Dry environment Seamless knitting Glove type

Support material Polyester Coating level Palm Material of coating Latex Coating finition **Textured** Reinforced part place **Fingers** Reinforced part material **TPR**

Reinforced part place 2 Reinforced part material 2 Type Of Cuff

Back **TPR**

Elastic wrist

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/06/22/1178

Protection from mechanical risks

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France

CE

EPI CAT. II

EN ISO 21420:2020

Protective gloves – General requirements and test methods

EN388:2016

+ A1:2018



4.2.4.3.X.P

EN ISO 10819:2013 / A1:2019



T[M] 0,738 - T[H] 0,577

Mechanical vibration and shock - Hand-arm vibration - Measurement and evaluation of the vibration transmissibility of gloves at the palm of the hand -Amendment 1