

Ref. MO23285

Non Reusable

FFP2 NR D



The +

Specific design of the exhalation valve: high reduction of the breathing resistance
 Optimal adherence of the mask: 3D flat foldable and complete seal on upper part
 Latex free elastic band to prevent the risk of allergies

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
23285	-	-	12

SALES PACKAGING



Multiple

DESCRIPTION

FFP2 disposable 3D foldable half-mask made of non-woven polypropylene with electrostatic filter media and exhalation valve, latex free synthetic rubber, PU foam nose pad

SECTORS

- Heavy & process industries
- Chemical & pharmaceutical industries
- Light Industries
- Infrastructure, building industry
- Construction - finishing work
- DIY

APPLICATIONS

For occasional use in a very dusty environment. Protections against non-toxic solid and liquid aerosols, such as calcium carbonate, kaolin, cement, cellulose, sulfur, cotton, flour, coal, ferrous metals, vegetable oils and tender woods.
 Textile industry, craft industry, metallurgical industry, mining industry, underground civil engineering, woodwork (strong woods excepted).

TECHNICAL FEATURES

Shape	3D mask	Color	Blue
Weight	16g	Color 2	White
Specifications	FFP2 NR D	Features	Non woven SMS polypropylene with exhalation valve
Harness features	Elastique caoutchouc synthétique (sans latex)		Latex free synthetic rubber bands
Main risk	Respiratory protection from aerosols and low toxic dust		PU foam nose pad and cushion
			Adjustable and reinforced nose clip

STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 697918

Delivered by BSI Group The Netherlands B.V (2797) Say Building- John M. Keynesplein 9- 1066 EP Amsterdam Netherlands



EPI CAT. III

EN149:2001 + A1:2009
FFP2 NR D

Particle filtering half masks