

Ref. MO3620

General & Heavy Duty Works

Synthetic



The +

Improved comfort: seamless knitted support
Liquidproofness

PURCHASE PACKAGING

| Ref. | Size | Inner | Carton |
|------|------|-------|--------|
| 3619 | 9 | 10 | 50 |
| 3620 | 10 | 10 | 50 |

SALES PACKAGING

>1

Multiple

See also

VARIANTS



MO3520



MO3420

DESCRIPTION

Seamless support from polyester,
Full coating in red PVC,
Long cuff, total length: 36cm

SECTORS

- Mining
- Infrastructure, building industry
- Construction - finishing work
- Transport (excluding manufacturing) and logistics

APPLICATIONS

Building and agriculture trades,
Cleaning and maintenance work,
Forestry,
Painting

TECHNICAL FEATURES

| | |
|--------------------------|----------------------------|
| Color | Red |
| Shape | Glove |
| Gloves environment | Oily |
| Glove type | Dipping |
| Support material | polyester |
| Material of coating | PVC or bi-polymer |
| Tempered glove structure | Supported |
| Type Of Cuff | Safety cuff / Straight cut |
| Length - mm | 360 |
| Cuff length - mm | 360 |

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1474/162/06/20/1868

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France



EPI CAT. II

EN420:2003 + A1:2009

General requirements for protective gloves

EN ISO 21420:2020

Protective gloves – General requirements and test methods

EN388:2016
+ A1:2018

Protection from mechanical risks



4.1.4.1.X.

RETAILER STAMP

MAJ 06/02/2023