

Ref. 1WILFO

### Thermal Protection

### Cold Insulation



### The +

Double coating for better waterproofing  
Good grip in dry and wet areas  
Flexibility and dexterity

### PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1WILF00008	8	5	50
1WILF00009	9	5	50
1WILF00010	10	5	50
1WILF00011	11	5	50
1WILF00012	12	5	50

### SALES PACKAGING

Hangable individual polybag

See also

### VARIANTS



1WINDO



1LAWO

### DESCRIPTION

Light blue seamless support from polyester,  
Grey acrylic terry liner,  
Double coating, blue latex smooth fully coated and navy blue latex-foam palm coating with thumb dipped,  
Ergonomic shape,  
Knitted wrist

### SECTORS

Light Industries  
Construction - finishing work  
Transport (excluding manufacturing) and logistics

### APPLICATIONS

Handling and precision work in cold and dirty/humid areas: metal industry, maintenance, assembly and mechanical work in cold area, cold storage, construction and public work...  
Food contact compliant

## TECHNICAL FEATURES



Gauge 13

Color	Blue	Material of coating	Latex
Color 2	Dark blue	Coating finition 2	Foam
Shape	Glove	Type Of Cuff	Elastic wrist
Gloves environment	Intense cold		
Glove type	Seamless knitting		
Support material	Polyester		
Support's gauge 2	10		
Support material 2	Acrylic terry liner		
Coating level	Hand		
Material of coating	Latex		
Coating finition	Smooth		
Coating level	Palm		

## STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/11/20/2707

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France



EPI CAT. II

EN ISO 21420:2020

Protective gloves – General requirements and test methods

EN ISO 21420:2020

EN388:2016

+ A1:2018



2.2.3.2.X.

Protection from mechanical risks

EN511:2006



0.2.1

Protection from the cold

Food contact



The overall and specific migration of substances subject to restriction has been tested according to EU Regulation 10/2011 and does not exceed any legal migration levels. Supporting documents are available upon request. The product has been tested against simulant food types A, and B of Regulation No.10/2011 for Plastic Materials and Articles in contact with aqueous foods 30 minutes at 40°C for repeat use.