

TECHNICAL DATASHEET

THUNDERLUX

Ref. MO62580

Safety Glasses







The +

Flexible and auto-adjustable temples Anti-slip nose bridge

PURCHASE PACKAGING

 Ref.
 Size
 Inner
 Carton

 62580
 10
 120

SALES PACKAGING



Hangable individual polybag

See also

VARIANTS

THUNDERLUX Safety glasses. Curved and clear polycarbonate lens, antiscratch coating K standard, anti-UV treatment, co-material frame, flexible and auto-adjustable temples, anti-slip nose bridge

SECTORS

Regional/public authorities

Maintenance

DESCRIPTION

Infrastructure, building industry

Construction - finishing work

DIY

Transport (excluding manufacturing) and logistics

Services and distribution



MO62583

TECHNICAL FEATURES

Shape Safety Glasses

Weight 25g

Lens Polycarbonate 2.2 mm

Lens marking 2-1.2 1FK

Frame Nylon + polycarbonate

Frame marking F - Cat.0

Temple material Polycarbonate

Temples Adjustable in length

Shade Clear

Main risk Eye protection

Color Black
Color 2 Red

Features Anti-scratch coating K standard

Anti-UV treatment

Other features Sport style design

STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate PPE22162356

Delivered by INSPEC International B.V. (2849) Beechavenue 54-1119 PW Schiphol-Rijk Netherlands

((

EPI CAT. II

EN166:2001 Specifications (optical quality, resistance to usual risks, mechanical risks, resistance

to impacts)

EN170:2003 Ultraviolet filters

ISO 12312-1:2013 Sunglare filters for leisure and sport

RETAILER STAMP

MAJ 15/03/2023