

Ref. MO6640

Handling and Precision Works

Dry Environment



The +

Breathability
Dexterity
Water-repellent treatment HPT
Grip

PURCHASE PACKAGING

| Ref. | Size | Inner | Carton |
|------|------|-------|--------|
| 6637 | 7 | 10 | 100 |
| 6638 | 8 | 10 | 100 |
| 6639 | 9 | 10 | 100 |
| 6640 | 10 | 10 | 100 |

SALES PACKAGING



Individual polybag

DESCRIPTION

Black seamless support from nylon, 15 gauge,
Black PVC foam palm coating,
Knitted wrist
Certified OEKO-TEX® STANDARD 100, CQ 1301/1, IFTH

SECTORS

- Heavy & process industries
- Light Industries
- Maintenance
- Services and distribution

APPLICATIONS

Fine handling and precise assembly of parts, meticulous assembly work, sorting of small parts, small screws and bolts, assembly of electronic components, handling of micro-processors, manufacture of medicines, preparation of cosmetics, interior design work.

TECHNICAL FEATURES



Gauge 15

| | |
|---------------------|--------------------------------|
| Color | Black |
| Color 2 | Black |
| Shape | Glove |
| Gloves environment | Dry, slightly oily environment |
| Glove type | Seamless knitting |
| Support material | Nylon |
| Coating level | Palm |
| Material of coating | PVC or bi-polymer |
| Coating finition | Foam |
| Type Of Cuff | Elastic wrist |
| Distributor machine | |

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 2777/10388-04/E17-01

Delivered by SATRA Technology Europe Ltd (2777) Bracetown Business Park- Clonee- Dublin 15 Dublin Ireland



EPI CAT. II

EN ISO 21420:2020

Protective gloves – General requirements and test methods

EN388:2016
+ A1:2018

Protection from mechanical risks



3.1.3.1X