

## **TECHNICAL DATASHEET**

# **EUROSTRONG 153**

Ref.

**MOP153** 

## General & Heavy Duty Works







### Textile/Leather





# The +

Resistant
Artery protection
Palm reinforcement

#### **PURCHASE PACKAGING**

 Ref.
 Size
 Inner
 Carton

 P153
 10
 6
 60

#### SALES PACKAGING

Header card

#### **DESCRIPTION**

Docker glove in high quality yellow split cowhide leather, Cotton lined palm,

Full grain leather reinforcement of the palm, back and cuff in yellow bayadere canvas,

7cm safety cuff

#### **SECTORS**

Regional/public authorities

Infrastructure, building industry

Construction - finishing work

DIY

#### **APPLICATIONS**

Heavy materials handling, wood and carpentry, warehouse work, masonry.

#### **TECHNICAL FEATURES**

Color Yellow Shape Glove

Gloves environment Dry environment

Glove type

Glove construction

Type of palm leather

Finition palm leather

Palm material

**Back material** 

Support material Higher quality split leather

cowhide and bayadere canvas Type Of Cuff

Docker

Leather Cowhide Split leather

Cotton

Cut and sewn

Back material type Bayadere cotton canvas Reinforced part place Reinforced part material

Reinforced part place 2 Reinforced part material 2

Lining material

Back

Leather/Split leather

Palm

Leather/Full leather

cotton

Safety cuff / Artery protector /

Straight cut

## STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/03/25/0498

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France

CE

EPI CAT. II

EN ISO 21420:2020

Protective gloves – General requirements and test methods

EN388:2016 + A1:2018



Protection from mechanical risks