

Ref. 1CRPG

### Cut - Precision Work

Dry Environment



### The +

- \* Optimized dexterity
- \* Grip
- \* Extended service life (polyamide)
- \* Minimal soiling

### PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1CRPG06	6	5	50
1CRPG07	7	5	50
1CRPG08	8	5	50
1CRPG09	9	5	50
1CRPG10	10	5	50
1CRPG11	11	5	50

### SALES PACKAGING



Hangable individual pack

### DESCRIPTION

Mottled grey seamless support from HPPE, mineral fibres, polyamide, elastane, 13 gauge,  
Grey polyurethane palm coating,  
Knitted wrist

### SECTORS

Heavy & process industries (steel, metallurgy, paper, concrete, plaster...)

Light Industries

Maintenance

Services and distribution

### APPLICATIONS

Handling, cutting and assembly of parts, assembly of thin metal sheets, handling of untrimmed parts, finishing work on cutting parts, metalworking, cutting with cutter, zinc works, aluminum and wood joinery, glass industry, plastic industry, unloading of injection molding machines, technical interventions, maintenance, handling of waste.

## TECHNICAL FEATURES



Gauge 13

<b>Color</b>	Grey
<b>Color 2</b>	Grey
<b>Shape</b>	Glove
<b>Gloves environment</b>	Dry environment
<b>Glove type</b>	Seamless knitting
<b>Support material</b>	HPPE polyamide elastane
<b>Coating level</b>	Palm
<b>Material of coating</b>	PU
<b>Coating finition</b>	Smooth
<b>Type Of Cuff</b>	Elastic wrist

## STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate  
**0075/1747/162/05/0546**

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France



EPI CAT. II

**EN420:2003 + A1:2009**

General requirements for protective gloves

**EN388:2016**

4.X.4.3.D.

Protection from mechanical risks

RETAILER STAMP