

Ref. 6LIMC00

Safety Glasses



The +

- Lightweight (23g) and comfort
- Metal free for electric environment compatibility
- Side protection with vented area
- Flexible and auto-adjustable temples
- Soft and adjustable nose pad: anti-slip

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
6LIMC00NSI	-	10	100

SALES PACKAGING

Hangable individual polybag

See also

VARIANTS



6LIMS00

DESCRIPTION

LIMELUX safety glasses. Polycarbonate clear lens, anti-UV, anti-fog N coatings, co-material temples for optimal flexibility, polycarbonate metal free frame and temple with lateral protection and ventilation of the ocular area, soft and adjustable nose bridge for a good comfort level and anti-slipping, high temperature resistance

SECTORS

- Heavy & process industries
- Light Industries
- Manufacture of electrical and electronic equipment and machines
- Energy (production and distribution)
- Regional/public authorities
- Infrastructure, building industry
- Transport (excluding manufacturing) and logistics

TECHNICAL FEATURES

Shape	Safety Glasses	Temples	Not adjustable
Weight	23g	Shade	Clear
Lens	Polycarbonate 2.0mm	Ventilation	Side protection with ventilation of eye area
Lens marking	2-1.2 1FTN	Main risk	Eye protection
Frame	Polycarbonate	Color	Black
Frame marking	FT	Color 2	Lime
Temple material	Polycarbonate + PVC	Features	Anti-UV treatment Anti-Fog N treatment High temperature resistance

STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 2754/1747/085/03/20/0120

Delivered by ALIENOR CERTIFICATION (2754) ZA du Sanital - 21- rue Albert Einstein - 86100 CHATELLERAULT - France



EPI CAT. II

EN166:2001

Specifications (optical quality, resistance to usual risks, mechanical risks, resistance to impacts)

EN170:2002

Ultraviolet filters