coverguard®

TECHNICAL DATASHEET

EUROLITE L300

Ref.

1LACC00

Handling and Precision Works





Wet Environment





The +

15 Gauge Flexibility and dexterity
Ergonomical shape
Excellent grip in dry and wet environment
Double coating: maximum waterproofing

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1LACC00007	7	10	100
1LACC00008	8	10	100
1LACC00009	9	10	100
1LACC00010	10	10	100
1LACC00011	11	10	100

SALES PACKAGING

Hangable individual polybag

DESCRIPTION

Light blue seamless support from polyamide,

Double coating, blue latex smooth fully coated and navy blue latex-foam palm coating with thumb dipped,

Ergonomic shape,

Knitted wrist

SECTORS

Light Industries

Infrastructure, building industry

Construction - finishing work

Transport (excluding manufacturing) and logistics

APPLICATIONS

Fine handling in a wet environment: construction industry (plumbing, heating, sanitary work, handling of pipes, ducts), outdoor maintenance (structural work, public works, agriculture, nautical work, etc.), maintenance work and upkeep of green spaces.

TECHNICAL FEATURES



Color Blue Type Of Cuff Elastic wrist

Color 2 Dark blue Shape Glove

Gloves environment Wet environment Glove type Seamless knitting

Support material Polyamide
Coating level Hand
Material of coating Latex
Coating finition Smooth
Coating level Palm
Material of coating Latex
Coating finition 2 Foam

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/08/21/1432

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France

 ϵ

EPI CAT. II

EN388:2016



Protection from mechanical risks