


Ref. 8MSTCN

Multirisks

Coverall



### THE +

Oil industry  
Welding and foundry  
Automotive industry  
Electrical industry  
Public services

PLUS: plastic trims + thicker

#### PURCHASE PACKAGING

Ref.	Size	Carton
8MSTCNS	S	10
8MSTCNM	M	10
8MSTCNL	L	10
8MSTCNXL	XL	10
8MSTCNXXL	2XL	10
8MSTCNXXXL	3XL	10

*Some sizes may only be available in certain countries*

#### SALES PACKAGING



Individual polybag

WASHING CONDITIONS

## FABRICS

Color	Navy blue
Material	FR SATIN: 98% Cotton / 2% Antistatic - 350g/m2
Material 2	TRIMS: Plastic

## TECHNICAL FEATURES

Collar	High collar / Marking ruff	Loop	2 dosimeter loops
Closing	Hidden snaps under central tab	Reinforce-ment yokes	Twill kneepad pockets, bottom loading / EN 14404: Type 2 - Level 0
Belt	Elasticated back waistband	Finishing details	2 back gussets / Triple topstitching / Standards pictograms on sleeve
Cuffs	Cuff adjustable by snaps	Adjustmen-ts	Adjustable leg length: +5cm
Pockets	2 chest pockets with closed flap / 1 inside pocket / 2 italian pockets / 2 back pockets with closed flap / 1 side pocket with closed flap / 1 tool pocket		

## STANDARD(S)

This equipment conforms to the personal protective equipment model covered by the EC type-examination certificate 0598/PPE/23/4322 Issue 2

Delivered by SGS Fimko Oy (0598) Takomotie 8 00380 HELSINKI Finland



EPI CAT. III

EN14404:2004 + A1:2010



Type 2 Niv. 0

Knee protectors for work in the kneeling position

EN ISO 11611:2015



Class 1 - A1+A2

Flame Retardant Garments

EN ISO 11612:2015



A1+A2-B1-C1-E3-F1

Clothing to protect against heat and flame

EN1149-5:2018



Antistatic protective clothing

IEC 61482-2:2018



Protective clothing against the thermal hazards of an electric arc

APC = 1; ELIM = 16cal/cm<sup>2</sup>; ATPV = 19cal/cm<sup>2</sup>

MAJ 18/10/2024