

Ref. 1CHIC60

Cut - General & Heavy Duty Work

Dry Environment



The +

Impact protection - TPR reinforcements on back of the hand and fingers
Good grip in dry and slightly oily areas
Optimum durability of the glove (level of abrasion 4/4),
High-visibility

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1CHIC60007	7	5	50
1CHIC60008	8	5	50
1CHIC60009	9	5	50
1CHIC60010	10	5	50
1CHIC60011	11	5	50

SALES PACKAGING

Hangable individual polybag

See also

VARIANTS



1CHIC30

DESCRIPTION

Yellow seamless support from HDPE, polyester, elastane, 13 gauge,
Double nitrile coating on the palm, smooth and black sandy nitrile,
TPR reinforcements on back of hand and fingers,
Knitted wrist

SECTORS

- Mining
- Extracting Oil and Gas
- Energy (production and distribution)
- Regional/public authorities
- Construction - finishing work

APPLICATIONS

Heavy handling in wet and/or oily area, mining industry, oil and gas industry, heavy construction work, logistics.

TECHNICAL FEATURES



Gauge 13

Color	Yellow	Reinforced part place	Fingers
Color 2	Black	Reinforced part material	TPR
Shape	Glove	Reinforced part place 2	Back
Gloves environment	Dry, slightly oily environment	Reinforced part material 2	TPR
Glove type	Seamless knitting	Type Of Cuff	Elastic wrist
Support material	HPPE polyester elastane		
Coating level	Palm		
Material of coating	Nitrile		
Coating finition	Smooth		
Coating level	Palm		
Material of coating	Nitrile		
Coating finition 2	Sandy		

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/04/25/0805

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France



EPI CAT. II

EN ISO 21420:2020

EN388:2016
+ A1:2018

4.X.4.2.C.P

EN407:2020



X.1.X.X.X

Protective gloves – General requirements and test methods

Protection from mechanical risks

Protective gloves and other hand protective equipments against thermal risks (heat and/or fire)