coverguard®

TECHNICAL DATASHEET

EUROCUT IMPACT 100

Ref.

1CHIC60

Cut - General & Heavy Duty Work







Dry Environment







The +

Impact protection - TPR reinforcements on back of the hand and fingers Good grip in dry and slightly oily areas Optimum durability of the glove (level of abrasion 4/4), High-visibility

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1CHIC60007	7	5	50
1CHIC60008	8	5	50
1CHIC60009	9	5	50
1CHIC60010	10	5	50
1CHIC60011	11	5	50

SALES PACKAGING



Hangable individual pack

See also

DESCRIPTION

Yellow seamless support from HDPE, polyester, elastane, 13 gauge, Double nitrile coating on the palm, smooth and black sandy nitrile, TPR reinforcements on back of hand and fingers, Knitted wrist

SECTORS

Mining

Extracting Oil and Gas

Energy (production and distribution)

Regional/public authorities

Construction - finishing work

APPLICATIONS

Heavy handling in wet and/or oily area, mining industry, oil and gas industry, heavy construction work, logistics.

VARIANTS



1CHIC30

TECHNICAL FEATURES

Gauge 13

Color Yellow
Color 2 Black
Shape Glove

Gloves environment

Glove type

Glove
Dry, slightly oily environment

Reinforced part material 2 Type Of Cuff

Elastic wrist

Support material HPPE polyester elastane Coating level Palm Material of coating Nitrile Coating finition Smooth Palm Coating level Material of coating Nitrile Coating finition 2 Sandy Reinforced part place **Fingers** Reinforced part material **TPR** Reinforced part place 2 Back

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/05/20/1577

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France

Seamless knitting

((

EPI CAT. II

EN420:2003 + A1:2009

General requirements for protective gloves

EN388:2016

4.3.4.2.C.P

Protection from mechanical risks

RETAILER STAMP

MAJ 13/05/2022